

Pos.-Nr. Pos.-No.	Typ Type	Teil-Nr. Part-No.	Bemerkung Remarks
----------------------	-------------	----------------------	----------------------

IC - Bausteine / IC - chips

IC 50	SN 7400 N	E 600.37001	A 01
IC 43,81	SN 7402 N	E 600.37003	A 02
IC 1, 11, 15, 25, 39, 53, 59, 61, 70, 110, 111	SN 7404 N	E 600.37006	A 03
IC 66	SN 7420 N	E 600.37007	A 05
IC 8	SN 7430 N	E 600.37008	A 06
IC 22,71	SN 7405 N	E 600.37024	A 11
IC 80	SN 7486 N	E 600.37031	A 17
IC 29, 36, 58, 65	SN 7437 N	E 600.37027	A 18
IC 104	SN 75453	E 600.37058	A 28
IC 6, 7, 27, 28	SN 72301 AL	E 600.35030	V 15
IC 26, 63	SN 7401 N-S1	E 634.37002	A 510
IC 3, 10, 17, 24, 31, 38, 45, 52, 57, 92-97, 99, 100-103	SN 7475 N	E 600.37040	F 04
IC 73-75, 107	SN 7474 N	E 600.37042	F 06
IC 12, 47, 62, 83	SN 74132 N	E 600.37052	G 04
IC 67-69	SN 74221 N	E 600.37048	G 06
IC 2, 9, 16, 23, 30, 37, 44, 51	SN 74151 N	E 600.37015	H 02
IC 4, 18, 32, 46	SN 74164 N	E 600.37053	N 03
IC 85-88	SN 74166 N	E 600.37054	N 04
IC 64	SN 74155 N	E 600.37050	H 05
IC 5, 19, 40, 54, 82	SN 7493 N	E 600.37021	P 01

Transistoren / Transistors

T 1-16, 24	2 N 2222	E 600.63022	
T 17, 18, 19, 21, 23	BD 675 MPSU 45	E 600.63046 E 600.63041) wahlweise) alternatively
T 20, 22	BD 679	E 600.63047	
T 25	2 N 3072	E 600.63038	

Pos.-Nr. Pos.-No.	Typ Type		Teil-Nr. Part-No.	Bemerkung Remarks
<u>Dioden / Diodes</u>				
D 1-4, 7-10, 19	1 N 4448		E 600.64027	
D 5, 6, 11, 12	BSX 75/C3V6		E 600.64078	
D 13-18	1 N 4001		E 600.64042	
<u>Kondensatoren / Capacitors</u>				
C 1	100 μ F	16 V	E 600.50061	} wahlweise alternatively
	100 μ F	16 V	E 600.50070	
	100 μ F	16 V	E 600.50112	
C 25	220 μ F	40 V	E 600.50010	
C 10, 50	220 μ F	16 V	E 600.50020	
C 24, 57	10 μ F	25 V	E 600.50055	
C 18, 46, 47, 48, 49, 51	0, 1 μ F	100 V	E 600.52032	
C 2-6, 8, 9, 19, 21, 54, 58-64	0, 1 μ F	16 V	E 600.53010	
C 20, 22, 23 52, 53, 55	0, 022 μ F	160 V	E 600.52044	
C 28, 29, 36, 39	0, 01 μ F	100 V	E 600.52029	
C 34, 35, 42, 43, 56	3300 pF	160 V	E 600.52038	
C 7, 11-17, 65	1000 pF	100 V	E 600.52025	
C 30, 31, 40, 41	680 pF	50 V	E 600.53015	
C 32, 33, 44, 45	150 pF	50 V	E 600.53013	
C 26, 27, 37, 38	22 pF	50 V	E 611.53024	
<u>Widerstände / Resistors</u>				
R 1, 22, 31, 34	100 Ohm	1/8 W	E 600.40189	
R 4, 15, 32, 33, 49, 52, 64, 65	330 Ohm	1/8 W	E 600.40254	
R 91, 92	1 kOhm	1/8 W	E 600.40195	
R 94	390 Ohm	1/8 W	E 600.40192	
R 19, 21, 53, 54	3, 3 kOhm	1/8 W	E 600.40223	

Pos.-Nr. Pos.-No.	Typ Type		Teil-Nr. Part-No.	Bemerkung Remarks
<u>Widerstände / Resistors</u>				
R 95	4,7 kOhm	1/8 W	E 600.40197	
R 25, 26, 28, 30, 57, 58, 60, 62	5,6 kOhm	1/8 W	E 600.40198	
R 16, 17, 18, 20, 27, 29, 47, 48, 50, 51, 59, 61, 67-72, 89, 90, 80, 81	10 kOhm	1/8 W	E 600.40200	
R 9, 10, 11, 13, 41, 42, 43, 45	18 kOhm	1/8 W	E 600.40201	
R 23, 24, 55, 56	33 kOhm	1/8 W	E 600.40236	
R 12, 14, 44, 46	47 kOhm	1/8 W	E 600.40213	
R 78	18 kOhm	1/4 W	E 600.40266	
R 5-8, 37-40, 74-77	22 kOhm	1/4 W	E 600.40267	
R 79	47 kOhm	1/4 W	E 600.40256	
R 93	470 Ohm	1/3 W	E 600.40023	
R 82, 83, 85, 86	100 Ohm	2 W	E 600.40181	
R 88	180 Ohm	2 W	E 603.40289	
R 63, 66	10 kOhm	1 W	E 600.44040	
R 2, 3, 35, 36, 73	10 kOhm	1/4 W	E 600.40168	
<u>Allgemeine Teile / General parts</u>				
M 33, 56, 72, 77, 78, 79, 90, 55, 60, 89	8 pol.		E 600.23115	Stiftleiste)
	8 pol.		E 435.02532	Pin bar) wahlw.
				Kontaktstift) altern.
				Contact pin)
	2 pol.		E 600.23121	Federleiste)
				Spring contact) wahlw.
				strip) altern.
	8 pol.		E 600.23127	Steckverbindung)
				Connection)
Abb. 1 Pict.1	40 pol.		E 600.23057	Buchsenleiste
				Bushing strip
Abb. 2 Pict.2			403.30055	Rohrniet
				Tubular rivet
Abb. 3 Pict.3			301.00481	Meßpunktstift
				Measuring point pin
			300.00297	Sockel
				Socket

