



S230405/04

Pos.-Nr. Pos.-No.	Typ Type	Teil-Nr. Part-No.	Bemerkung Remarks
<u>IC - Bausteine / IC - chips</u>			
IC 7	SN 74LS00 N	E 630.37001	A 101
IC 8	SN 74LS02 N	E 630.37003	A 102
IC 4	SN 74LS04 N	E 630.37006	A 103
IC 13	SN 74LS10 N	E 630.37004	A 104
IC 5	SN 74LS27 N	E 630.37057	A 129
IC 6	SN 74LS12 N	E 630.37082	A 137
IC 19	SN 74LS244 N	E 630.37127	A 146
IC 14	SN 74LS138 N	E 630.37081	H 112
IC 1,2	SN 74LS85 N	E 630.37018	K 102
<u>Transistoren / Transistors</u>			
T 1	BC 177 A	E 600.63027	
<u>Dioden / Diodes</u>			
D 1	ZPD 10	E 600.64070	
<u>Kondensatoren / Capacitors</u>			
C 6,7,9, 12,14	10 µF 16 V	E 600.50082	
C 5,8,10, 11,13,15, 16	0,1 µF 16 V	E 600.53010	
C 3,4	2200 pF 100 V	E 600.52026	
<u>Widerstände / Resistors</u>			
R 12,13	100 Ohm 1/8 W	E 600.40189	
R 1-8	15 kOhm 1/8 W	E 600.40224	
R 11	6,8 kOhm 1/8 W	E 600.40202	
R 9	100 Ohm 1/4 W	E 600.40108	
R 10	10 kOhm 1/4 W	E 600.40132	
<u>Allgemeine Teile / General parts</u>			
Sch. 1,2,3	3 pol.	E 603.23115	Stiftleiste Pin bar
	2 pol.	E 600.23121	Federleiste Spring contact pin
	8 pol.	E 435.02532	Kontaktstift )
	8 pol.	E 600.23115	Contact pin ) wahlw.
			Stiftleiste ) altern.
			Pin bar )
		301.00481	Meßpunktstift Measuring point pin

Pos.-Nr. Pos.-No.	Typ Type	Teil-Nr. Part-No.	Bemerkung Remarks
<u>Allgemeine Teile / General parts</u>			
Abb. 1 Pict.1	24 pol.	E 600.23123	Sockel Socket
Abb. 2 Pict.2	15 pol.	E 602.23060	Steckverbindung Connection
Abb. 3 Pict.3		403.57734	Scheibe Washer
Abb. 4 Pict.4	M 2x8	451.01001	Zylinderschraube Screw (cyl.-head)
Abb. 5 Pict.5	M 2	420.26001	Sechskantmutter Nut