

Position-Nr. Position-No.	Typ Type	Teil-Nr. Part-No.	Bemerkung Remarks
<u>IC - Bausteine / IC - chips</u>			
IC 4, 10, 15, 39	SN 74LS00 N	E 630.37001	A 101
IC 6, 7, 31	SN 74LS02 N	E 630.37003	A 102
IC 9, 14	SN 74LS04 N	E 630.37006	A 103
IC 5, 16	SN 74LS10 N	E 630.37004	A 104
IC 8, 21, 22, 24	SN 74LS138 N	E 630.37081	H 112
IC 23, 52	SN 74LS243 N	E 630.37126	A 145
IC 20, 53, 54	SN 74LS244 N	E 630.37127	A 146
IC 32	C/D 8255	E 600.38040	Y 03
IC 44, 45, 50, 51	RAM 2114 L	E 600.38099	L 64
<u>Kondensatoren / Capacitors</u>			
C 1-5, 7, 11, 13-18, 22-36, 38, 39	0,1 μ F 16 V	E 600.53010	
C 8, 9, 10, 12, 37	10 μ F 16 V	E 600.50082	
C 40	680 pF 50 V	E 600.53015	
<u>Widerstände / Resistors</u>			
R 11, 12	4,7 k Ω 1/8 W	E 600.40197	
R 24	10 k Ω 1/8 W	E 600.40200	
R 1/N 12/01	8B 4K7 4,7 k Ω	E 600.35064) Widerstand-Netzwerk
R 2/N 13/02	8B 6K8	E 600.35065) Resistor-Power unit
R 3/N 14/03	5B 4K7	E 600.35066)

Position-Nr. Position-No.	Typ Type	Teil-Nr. Part-No.	Bemerkung Remarks
<u>Allgemeine Teile / General parts</u>			
Sch. 1-8	3 pol.	E 603.23115	Stiftleiste Pin bar
	2 pol.	E 600.23121	Federleiste Spring contact pin
M II, III, 2I, 2II	8 pol.	E 435.02532	Kontaktstift) Contact pin) wahlweise
	8 pol.	E 600.23115	Stiftleiste) alternat. Pin bar)
Abb. 1 Pict.1	24 pol.	E 600.23123	Sockel Socket
Abb. 2 Pict.2	18 pol.	E 603.23123	Sockel Socket
Abb. 3 Pict.3	40 pol.	E 605.23123	Sockel Socket
Abb. 4 Pict.4	2x25 pol.	E 602.23144	Steckverbindung Connection
Abb. 5 Pict.5	2x13 pol.	E 600.23144	Steckverbindung Connection
Abb. 6 Pict.6	2x8 pol.	E 603.23144	Steckverbindung Connection
Abb. 7 Pict.7		301.00481	Meßpunktstift Measuring point pin