

Kass. Kernspeicher 32 KB
Cass. core memory 32 KB

(ohne Zeichnung)
(w/o illustration)

(SFAD03) FAD 03
711.81544

Pos.-Nr. Pos.-No.	Typ Type	Teil-Nr. Part-No.	Bemerkung Remarks
<u>IC - Bausteine / IC - chips</u>			
U 35, 36, 37, 90, 92, 93, 95	SN 74S00 N	E 633.37001	
U 38	SN 74S02 N	E 633.37003	
U 32, 42	SN 74S04 N	E 633.37006	
U 17	SN 74S05 N	E 633.37024	
U 25, 39, 41, 89, 96	SN 74S08 N	E 633.37036	
U 40	SN 74S10 N	E 633.37004	
U 30	74S40	AM000.00005.86892	
U 33, 91, 94	SN 7438 N	E 600.37028	
U 23	SN 7483 N	E 600.37017	
U 24, 29	74S85	AM000.00005.87278	
U 16, 28	SN 74S86 N	E 633.37031	
U 18, 27, 55, 57, 58, 59, 60, 61, 77, 79, 81, 80, 82, 83	SN 75453	E 600.37058	
U 97-100	SN 74S157 N	E 633.37059	
U 87	72723	AM000.00005.86449	
U 13-15, 43, 44, 45, 46, 65, 66, 67, 68		AM000.03400.43001	
U 26, 31, 34,	AM 26S02	AM000.00005.89116	
U 7-12, 22, 47, 48, 49, 50, 62, 64, 69, 70, 71, 72, 84, 86	CD 6630 -1	AM000.03275.60001	
U 56, 78	CD 6630-2	AM000.03275.60002	
U 19	CD 6630-5	AM000.03275.60005	
U 21, 88	CD 6651	AM000.03275.60901	
U 63, 85	CD 6603	AM000.03275.60701	
U 1-6, 20, 51-54, 73-76	Q 2 T3725	AM000.00005.80617	
<u>Transistoren / Transistors</u>			
Q 10, 11, 16, 23-26, 32-56	2 N 3725	AM000.00000.14729	
Q 1, 2, 18, 22, 28, 29, 30	2 N 2369 A	AM000.00000.14581	

Pos.-Nr. Pos.-No.	Typ Type	Teil-Nr. Part-No.	Bemerkung Remarks
<u>Transistoren / Transistors</u>			
Q 3-9	2 N 2894	AM000.00000.14532	
Q 17, 20, 31	2 N 2907 A	AM000.00005.80624	
Q 12-15, 27	2 N 3467	AM000.00005.80789	
Q 57	TIP 41 A	AM000.00005.80754	
<u>Dioden / Diodes</u>			
VR 1,2	5,1 V 400 mW	AM000.00000.13358	Zenerdiode
CR 1-128, 130-148	CD 6030	AM000.00000.13694	Diode
SW 1		AM000.00001.19313	Schalter / Switch
TP1-TP6		AM000.00001.73223	Meßpunkt Measuring point
<u>Widerstände / Resistors</u>			
RM 1,2,3	8x 220 Ohm	AM000.00000.39124	
RM 4-10	8x 470 Ohm	AM000.00000.39123	
R 18, 32, 33, 35, 38, 49, 50-52	10 Ohm	AM000.00000.76596	
R 8-10, 12	22 Ohm	AM000.00000.76634	
R75, 108-123	47 Ohm	AM000.00000.76603	
R 27, 28, 34, 48, 13, 14	68 Ohm	AM000.00000.76605	
R 31, 46	150 Ohm	AM000.00000.76609	
R 16, 19, 22, 24, 71, 66, 92, 96, 102	220 Ohm	AM000.00000.76611	
R 132-135	270 Ohm	AM000.00000.76612	
R 15, 67	330 Ohm	AM000.00000.76613	
R 36, 37, 58, 59, 60, 61, 74, 81, 106, 128, 137	470 Ohm	AM000.00000.76615	
R 41, 73	560 Ohm	AM000.00000.76616	
R 72, 100	680 Ohm	AM000.00000.76617	
R 1-7, 11, 17, 20, 21, 43, 69, 76, 77, 78, 103, 105, 126, 136	1 kOhm	AM000.00000.76619	
R 40	1,5 kOhm	AM000.00000.76621	
R 23, 25, 54, 55-57, 68, 82, 84, 93, 107, 124, 127, 138-145	2,2 kOhm	AM000.00000.76623	

Pos.-Nr. Pos.-No.	Typ Type		Teil-Nr. Part-No.	Bemerkung Remarks
<u>Widerstände / Resistors</u>				
R 101	4,7 kOhm	1/4 W	AM000.00000.76627	
R 129	5,6 kOhm	1/4 W	AM000.00000.76628	
R 130	6,8 kOhm	1/4 W	AM000.00000.76629	
R 80, 86, 89, 90, 95, 97	10 kOhm	1/4 W	AM000.00000.76631	
R 104	330 Ohm	1 W	AM000.00000.76145	
R 44, 147	3,9 Ohm	2,5 W	AM000.00000.59571	
R 26, 29, 62, 70, 146	7,5 Ohm	2,5 W	AM000.00000.58955	
R 39, 53, 65, 79, 83, 87, 88, 91, 94, 98, 125, 131,				Bestückung je nach Endkontrolle ver- schieden Different equipment according to final acceptance
R 30, 47	180 Ohm	1/4 W	AM000.00000.76610	
<u>Kondensatoren / Capacitors</u>				
C 22	10 pF	100 V	AM000.00000.64441	
C 14, 17, 25, 27, 29, 32	47 pF	100 V	AM000.00000.64462	
C 21	68 pF	100 V	AM000.00000.64463	
C 28, 33, 75	100 pF	100 V	AM000.00000.64464	
C 39	470 pF	100 V	AM000.00000.64468	
C 34	330 pF	100 V	AM000.00000.64467	
C 7	0,01 µF	50 V	AM000.00000.64452	
C 24, 35, 37, 38, 43-54, 58, 66, 78, 79	0.1 µF	50 V	AM000.00000.64458	
C 1-6, 8, 11, 16, 18, 19, 20, 23, 30, 31, 36, 40, 41, 42, 55, 56, 60, 61, 62, 64, 67, 68, 69, 72, 80, 81, 82	1 µF	50 V	AM000.00000.64444	
C 9	6,8 µF	35 V	AM000.00000.37931	
C 13, 15, 57, 59, 63, 65, 70, 73, 76	22 µF	35 V	AM000.00000.37936	
C 71, 77	47 µF	20 V	AM000.00000.37892	
C 83	220 pF	100 V	AM000.00000.64466	
C 26	1000 pF	50 V	AM000.00000.64446	
L 1	4,7 µH		AM000.00000.51397	Spule / Spool

